



Supplementary Material 3: Coho survival model figures

"Identification of infectious agents in early marine Chinook and Coho salmon associated with cohort survival"



Arthur L. Bass, Andrew W. Bateman, Brendan M. Connors, Benjamin A. Staton, Eric B. Rondeau, Gideon J. Mordecai, Amy K. Teffer, Karia H. Kaukinen, Shaorong Li, Amy M. Tabata, David A. Patterson, Scott G. Hinch, Kristina M. Miller


Description: Bayesian multi-level model results from Coho survival models. Raw data (points) are presented in left panels and model results are presented in right panels (heavy black line indicates the posterior distribution of the hyperdistribution mean). Lines in left panels represent 1000 random draws from the posterior distributions of the stock-specific intercepts and slopes. Slope coefficient for the right panel is relative to a 10% increase in pathogen prevalence.


Candidatus Branchiomonas cysticola SpSu




Candidatus Branchiomonas cysticola FaWi















Cryptobia salmositica FaWi





Facilispora marginisi SpSu





Facilispora marginisi FaWi





Flavobacterium psychrophilum SpSu




Flavobacterium psychrophilum FaWi





Ichthyophonus hoferi SpSu









Ichthyophthirius multifiliis SpSu





Ichthyophthirius multifiliis FaWi





Kudoa thysites SpSu





Kudoa thysites FaWi





Loma salmonae SpSu





Loma salmonae FaWi





Myxobolus arcticus SpSu





Myxobolus arcticus FaWi





Myxobolus insidiosus SpSu





Myxobolus insidiosus FaWi





Nanophyetus salmincola SpSu





Nanophyetus salmincola FaWi





Parvicipulta kabatai SpSu





Parvicapsula kabatai FaWi





Parvicapcula minibicornis SpSu





Parvicapulta minibicornis FaWi





Parvicapsula pseudobranchicola SpSu





Parvicapsula pseudobranchicola FaWi




Paranucleospora theridion SpSu





Paranucleospora theridion FaWi









Piscine Orthoreovirus FaWi





Candidatus Syngnathus salmonis SpSu





Candidatus Syngnathia salmonis FaWi





Sphaerothecum destruens SpSu





Sphaerothecum destruens FaWi





Tetracapsuloides bryosalmonae SpSu





Tetracapsuloides bryosalmonae FaWi





Tenacibaculum maritimum SpSu





Tenacibaculum maritimum FaWi




Erythrocytic Necrosis Virus SpSu





Erythrocytic Necrosis Virus FaWi







Total number of pathogen taxa FaWi



Relative infectious agent burden SpSu



Relative infectious agent burden FaWi

