

Ten years of ranavirus research (2010-2019): an analysis of global research trends

Wytamma Wirth^{a*}, David Lesbarrères^b, and Ellen Ariel^a

^aCollege of Public Health, Medical and Veterinary Sciences, James Cook University, Townsville, Queensland 4810, Australia; ^bDepartment of Biology, Laurentian University, Sudbury, ON P3E 2C6,

*wytamma.wirth@my.jcu.edu.au

Abstract

Ranaviruses are large nucleocytoplasmic DNA viruses that infect ectothermic vertebrates. Here we report the results of a scientometric analysis of the field of ranavirology for the last 10 years. Using bibliometric tools we analyse trends, identify top publications and journals, and visualise the ranavirus collaboration landscape. The Web of Science core collection contains 545 ranavirus-related publications from 2010 to 2019, with more publications produced every year and a total of 6830 citations. Research output is primarily driven by the United States and People's Republic of China, who together account for more than 60% of ranavirus publications. We also observed a positive correlation between the average number of co-authors on ranavirus publications and the year of publication, indicating that overall collaboration is increasing. A keyword analysis of ranavirus publications from 2010 to 2019 reveals several areas of research interest including; ecology, immunology, virology/molecular biology, genetics, ichthyology, and herpetology. While ranavirus research is conducted globally, relatively few publications have co-authors from both European and Asian countries, possibly because closer countries (geographical distance) are more likely to share co-authors. To this end, efforts should be made to foster collaborations across geopolitical and cultural boundaries, especially between countries with shared research interests as ultimately, understanding global pathogens, like ranaviruses, will require global collaboration.

Key words: ranavirus, scientometrics, bibliometrics, collaboration

Introduction

Ranaviruses are a group of large double-stranded DNA viruses in the genus Ranavirus (family Iridoviridae), which infect ectothermic vertebrates including fish, amphibians, and reptiles (Gray and Chinchar 2015). The first of these viruses was isolated in 1965; however, it was not until the late 1980s that they were recognized as pathogens of ecological and economic importance (Gray and Chinchar 2015). Since their initial discovery, ranaviruses have been isolated from hosts in both temperate and tropical habitats from around the globe (Duffus et al. 2015).

The wide distribution of ranaviruses has led to global research interest, resulting in the establishment of the Global Ranavirus Consortium (GRC). The GRC, formed in 2011, aims to foster collaboration and knowledge sharing between ranavirus researchers and appropriate stakeholders (Lesbarrères et al. 2012). Since its formation, the GRC has organised five international symposiums on ranaviruses to



Citation: Wirth W, Lesbarrères D, and Ariel E. 2021. Ten years of ranavirus research (2010-2019): an analysis of global research trends. FACETS 6: 44-57. doi:10.1139/facets-2020-0030

Handling Editor: Elena P. Ivanova

Received: April 24, 2020

Accepted: September 29, 2020

Published: January 21, 2021

Note: This paper is part of a Collection titled "Ranavirus research: 10 years of global collaboration.'

Copyright: © 2021 Wirth et al. This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and source are credited.

Published by: Canadian Science Publishing



bring the global ranavirus research community together. Work presented at these symposiums has emphasised the breadth and diversity of the ranavirus research field (Lesbarrères et al. 2012). In 2019, the ISR was held in Australia and covered a range of topics including ecology, pathology, immunology, and diagnostics. Although an important part of fostering research collaboration, and in identifying trends and knowledge gaps, conference presentations are only a small part of the ranavirus research field, and most studies are published in the peer-reviewed scientific literature.

Bibliometrics are a set of tools used to measure and study texts and information associated with interrelated bodies of documents. Commonly, these tools are applied to the scientific literature (scientometrics) for the comparative analysis of research institutes, journals of publications, and individual researchers. Scientometrics can also be used for gaining an understanding of the intra/ interdisciplinary collaboration, trends in research topics, and overall structure of a field of scientific research via the generation of bibliometric maps. Collaboration has been linked to increased impact, research output, and citation rates (Lee and Bozeman 2005; Figg et al. 2006; Larivière et al. 2015). In this study, we report the results of a scientometric analysis of the field of ranavirology for the past 10 years and, in particular, how collaborations have moved this field forward.

Methods

The bibliographic data for the publications used in this study were downloaded from the Web of Science (WOS) core collection database using the search term "ranavirus". Only publications from 2010 to 2019 and reported as "article" or "review" were included in the data set. The filtered data set contains 545 publications and is referred to as the WOS ranavirus data set throughout this manuscript. General statistics and figures were generated and produced using Python 3 (McKinney 2010; Seabold and Perktold 2010). All correlation analyses were performed using a Pearson's product-moment correlation.

Top core ranavirus publications were determined by counting the number of citations from ranavirus-related publications in the WOS ranavirus data set (internal citations). Top auxiliary ranavirus publications were determined by subtracting the number of internal citations from the total number of citations to determine the number of citations each publication received from publications outside of the WOS ranavirus data set. To assess the main ranavirus publication outlets and if these journals were likely to be read by a large audience, we calculated the H-Index of all journals in the WOS ranavirus data set.

To visualise research topic groups in the ranavirus field, a co-occurrence map was created for all keywords, with at least five occurrences using the software package VOSviewer (van Eck and Waltman 2010). The median year of occurrence of each author keyword was also determined to get an idea of research topic trends within the field, and a frequency count of author keywords per year was created to determine how research interests have changed overtime.

The VOSviewer software package was also used to construct collaboration maps for the ranavirus field (van Eck and Waltman 2010). Two bibliographic maps were created to visualise the ranavirus field at the country level. First, co-authorship coupling was used to determine which countries are collaborating. While co-authorship is not the only form of collaboration, it remains a reliable and measurable indicator (Larivière et al. 2015). Second, bibliographic coupling was used to determine which countries are producing publications that cite the same publications in their reference lists. Shared references are assumed to represent a similar research interest. Countries with <5 ranavirus-related publications were excluded from the visualizations (21 of the 48 ranavirus publishing countries passed this threshold). Fractional counting was used to minimise bias of publications with many co-authors (Perianes-Rodriguez et al. 2016). All other VOSviewer parameters were left as default. To determine



the effect of geographic location on co-authorship, distance matrices were created for country nodes in the co-authorship map and for the actual geographical coordinates of the countries; a Mantel test was used to compute the Pearson's product-moment correlation between the two distance matrices.

Results

Publications and citations

There are 545 publications in the WOS ranavirus data set published between 2010 and 2019 (average per year = 58.2, SD = 15.2), with a significantly increasing number of publications per year from 41 in 2010 to 86 in 2019 (R = 0.87, p < 0.001; Fig. 1). The greatest number of ranavirus publications between 2010 and 2019 came from the United States (US) and People's Republic of China (PRC) who had 199 and 153 total publications, respectively, together accounting for more than 60% of ranavirus-related publications in that time period (Table 1). Out of all the countries with more than five publications in the WOS ranavirus data set, the US and PRC are the only countries with a strong increase in publication output (Fig. 2). Publications in the WOS ranaviurs data set between 2010 and 2019 were cited a total of 6830 times with publications from 2010 having the highest collective citation total (1330) compared with any other year (Fig. 3). On average, over the last 10 years, each ranavirus-related publication has been cited 12.5 times (SD = 18.4, median = 7).

Top publications and journals

The H-index across all publications in the WOS ranavirus data set was 37. Ranavirus-related publications in the WOS ranavirus data set can be divided into top core (Table 2) and auxiliary (Table 3) publications. The top core ranavirus publications are highly cited by other ranavirus-related publications in the WOS data set. The ranavirus publication with the highest number of internal citations (i.e., citations from other publications in the WOS ranavirus data set) is Miller et al. (2011, Table 2). The top 10 core publication list contains several reviews (e.g., Whittington et al. 2010; Chinchar et al. 2011; Miller et al. 2011) that, because of their impact, may be a useful starting resource for those interested in ranavirology. The top auxiliary publications are cited by publications from outside the WOS ranavirus data set. The top auxiliary publication was Hayes et al. (2010) with a total of 176 citations in the WOS core collection.

Interestingly, Fish & Shellfish Immunology was the top journal publishing ranavirus-related research from 2010 to 2019, with over 50 ranavirus publications in the WOS ranavirus data set (Table 4). Diseases of Aquatic Organisms (DAO) had the highest number of citations (572) while the Journal of Virology had the highest average number of citations per ranavirus-related publication (30.0) within the top 10 journals. PLoS ONE and DAO both had an H-index of 14 (i.e., 14 ranavirus publications with at least 14 citations).

Keywords and research topics

There are many common keywords (n = 265) used in publications of the WOS ranavirus data set (Fig. 4). These keywords cluster into five groups that relate to core concepts in the field between 2010 and 2019 (Fig. 4): ecology, emerging disease, amphibians (Group 1); immunology, evolution (group 2); virology, molecular biology (group 3); genetics, ichthyology (group 4); and reptiles (group 5).

It is not surprising that "ranavirus" is the most common key word used by authors in the publications in the WOS ranavirus data set. However, this is not to say the research interest in this field is static (Fig. 5). Areas of research (author keywords) with high median year of publication include biosecurity, antiviral immunity, reptiles, etc. (Fig. 5). Interests in various infectious agents are changing as new






Fig. 1. Total number of publications per year in the Web of Science ranavirus data set.

Table 1. Publication output from countries with more than five publications between 2010 and 2019 in the Web of Science ranavirus data set.

Country	Total	Proportion (%)	Average per year
United States	199	37	19.9
People's Republic of China	153	28	15.3
Canada	32	6	3.2
Australia	27	5	2.7
England	22	4	2.2
Taiwan	16	3	1.6
Germany	14	3	1.4
Spain	12	2	1.2
The Netherlands	8	1	0.8
Singapore	8	1	0.8
Belgium	6	1	0.6

Note: The country of research origin is determined by the corresponding author's address. Total, total number of publications; Proportion, proprotion of the total global ranavirus research output; Average per year, number of publications.

species or strains of viruses get discovered. For instance, the median year of publication of publications from 2010 to 2019 that use *Epizootic hematopoietic necrosis virus* (discovered in the 1980s) as an author keyword was 2011, while the median year of publication for *Andrias davidianus ranavirus* (discovered in 2011) was mid 2018. From 2010 to 2019 over 50 articles have used keywords relating to






Fig. 2. Total number of publications per year per country in the Web of Science ranavirus data set. Only countries with >5 ranavirus-related publications between 2009 and 2019 are included.




Fig. 3. Total number of citations for publications from 2010 to 2019 in the Web of Science ranavirus data set.

Singapore grouper iridovirus (SGIV) indicating that SGIV is an important and stable research topic. Interestingly, Batrachochytrium dendrobatidis (Bd), another important pathogen of amphibians has appeared less frequently as an author keyword in the ranavirus literature in recent years (Fig. 5).

Collaborations and landscapes

Ranavirus research from 2010 to 2019 has been a global effort with authors in the WOS ranavirus data set hailing from 48 different countries and an increasing number of co-authors every year (average = 5.8; R = 0.90, p < 0.001; Fig. 6). Using co-author analysis, it was possible to visualise the collaborative landscape of the ranavirus field (Fig. 7). Central nodes like the US and England have more international collaborators, whereas peripheral nodes (e.g., Hungary, Thailand, Finland) have a less diverse set of co-authors (Fig. 7A). Interestingly, there are relatively few co-authorships shared



Table 2. Top 10 core publications from 2010 to 2019 in the Web of Science ranavirus data set.

	Authors	Title	Year	Journal	Citations	Internal citations	DOI
1	Miller, D; Gray, M; Storfer, A	Ecopathology of ranaviruses infecting amphibians	2011	Viruses	102	91	10.3390/v3112351
2	Whittington, RJ; Becker, JA; Dennis, MM	Iridovirus infections in finfish—critical review with emphasis on ranaviruses	2010	Journal of Fish Diseases	123	74	10.1111/j.1365- 2761.2009.01110.x
3	Jancovich, JK; Bremont, M; Touchman, JW; Jacobs, BL	Evidence for multiple recent host species shifts among the ranaviruses (family Iridoviridae)	2010	Journal of Virology	87	68	10.1128/JVI.01991-09
4	Hoverman, JT; Gray, MJ; Haislip, NA; Miller, DL	Phylogeny, life history, and ecology contribute to differences in amphibian susceptibility to ranaviruses	2011	EcoHealth	73	64	10.1007/s10393-011- 0717-7
5	Teacher, AGF; Cunningham, AA; Garner, TWJ	Assessing the long-term impact of <i>Ranavirus</i> infection in wild common frog populations	2010	Animal Conservation	81	57	10.1111/j.1469- 1795.2010.00373.x
6	Price, SJ; Garner, TWJ; Nichols, RA; Balloux, F; Ayres, C; de Alba, AMC; Bosch, J	Collapse of amphibian communities due to an introduced ranavirus	2014	Current Biology	81	54	10.1016/ j.cub.2014.09.028
7	Morales, HD; Abramowitz, L; Gertz, J; Sowa, J; Vogel, A; Robert, J	Innate immune responses and permissiveness to ranavirus infection of peritoneal leukocytes in the frog <i>Xenopus laevis</i>	2010	Journal of Virology	67	53	10.1128/JVI.02486-09
8	Hoverman, JT; Gray, MJ; Miller, DL	Anuran susceptibilities to ranaviruses: role of species identity, exposure route, and a novel virus isolate	2010	Diseases of Aquatic Organisms	58	51	10.3354/dao02200
9	Geng, Y; Wang, KY; Zhou, ZY; Li, CW; Wang, J; He, M; Yin, ZQ; Lai, WM	First report of a ranavirus associated with morbidity and mortality in farmed Chinese giant salamanders (<i>Andrias davidianus</i>)	2011	Journal of Comparative Pathology	69	49	10.1016/ j.jcpa.2010.11.012
10	Chinchar, VG; Yu, KH; Jancovich, JK	The molecular biology of <i>Frog virus 3</i> and other iridoviruses infecting cold-blooded vertebrates	2011	Viruses-Basel	64	38	10.3390/v3101959

Note: Publications are ranked by most citations from other publications in the Web of Science ranavirus data set (internal citations).

between European (green) and Asian countries (red; Fig. 7A). There is a positive correlation between the distance between countries on the co-author map and the actual geographical distance between the countries (R = 0.338, p = 0.005). For the most part, bibliographic coupling (Fig. 7B) is similar to the co-authorship map, suggesting that researchers with similar interests are actively collaborating and refer to the same articles. However, there are a few cases where research interest and co-authorship are less aligned. For example, Germany clusters with the US, PRC, Australia, Canada, etc. (red group) in the bibliographic coupling map (Fig. 7B) but does not cluster with the same group in the co-authorship map (Fig. 7A). This may indicate that researchers from Germany are citing similar publications to those in the red group, and thus working on similar topics, but are not necessarily working with the researchers behind the publications they cite.



Table 3. Top five auxiliary publications from 2010 to 2019 in the Web of Science ranavirus data set.

	Authors	Title	Year	Journal	Citations	Internal citations	DOI
1	Hayes, TB; Falso, P; Gallipeau, S; Stice, M	The cause of global amphibian declines: a developmental endocrinologist's perspective	2010	Journal of Experimental Biology	176	5	10.1242/jeb.040865
2	Rosen, GE; Smith, KF	Summarizing the evidence on the international trade in illegal wildlife	2010	EcoHealth	142	1	10.1007/s10393-010- 0317-y
3	Conlon, JM	The contribution of skin antimicrobial peptides to the system of innate immunity in anurans	2011	Cell and Tissue Research	99	2	10.1007/s00441-010- 1014-4
4	Liu, CH; Chiu, CH; Wang, SW; Cheng, WT	Dietary administration of the probiotic, <i>Bacillus subtilis</i> E20, enhances the growth, innate immune responses, and disease resistance of the grouper, <i>Epinephelus coioides</i>	2012	Fish & Shellfish Immunology	88	2	10.1016/ j.fsi.2012.06.012
5		Ecophysiology meets conservation: understanding the role of disease in amphibian population declines	2012	Philosophical Transactions of the Royal Society B: Biological Sciences	84	4	10.1098/ rstb.2012.0011

Note: Publications are ranked by most citations from publications outside the Web of Science ranavirus data set.

Table 4. Top 10 journals from 2010 to 2019 ranked by H index of publications in the Web of Science ranavirus data set.

	Journal title	Total publications	Total citations	Average citations	H index
1	Diseases of Aquatic Organisms	44	572	13	14
2	PLoS ONE	26	475	18.27	14
3	Fish & Shellfish Immunology	51	554	10.86	13
4	Developmental and Comparative Immunology	21	276	13.14	11
5	EcoHealth	23	479	20.83	11
6	Journal of Virology	16	480	30	11
7	Virology	15	219	14.6	10
8	Journal of General Virology	12	162	13.5	9
9	Aquaculture	11	103	9.36	7
10	Journal of Wildlife Diseases	19	145	7.63	7

Discussion

Ranaviruses are important global pathogens of ectothermic vertebrates. The importance of and interest in ranavirus research is highlighted by the steady increase in ranavirus-related publications over the past 10 years. We ranked the publications in the WOS ranavirus data set based on citations from other publications in the data set to determine the core set of ranavirus publications. Inversely, the broader citations in the ranavirus auxiliary publications may be attributed to the fact that these






Fig. 4. Co-occurrence map of all keywords from 2009 to 2019. There are 256 keywords with at least five occurrences each. Size of the nodes indicates the number of occurrences of that word. The lines indicate the strength of association i.e., how likely words are to occur together in the same article. The map is clustered into five related groups. Group 1: ecology, emerging disease, amphibians (red); group 2: immunology, evolution (yellow); group 3: virology, molecular biology (green); group 4: genetics, ichthyology (blue); and group 5: reptiles (purple).

publications tend to be focused on more general concepts such as amphibian decline (e.g., Hayes et al. 2010; Blaustein et al. 2012). More importantly, collaboration is an important component of continued productive ranavirus research output and our study reveals that the average number of co-authors on publications in the field has increased over the 2010–2019 period, possibly resulting in the increase in research output observed (Lee and Bozeman 2005).

Journals

Fish & Shellfish Immunology has 51 publications from 2010 to 2019, equating to 9.3% of the total publications in the WOS ranavirus data set. This journal is a specialised immunology journal and its place among the top ranavirus journals indicates the central role of immunology in this field. However, DAO received the most citations (572) during the same period but only represented 8.3% of the total citations for the data set. DAO was originally established in 1985 and focuses on all forms of life—animals, plants, and microorganisms—in marine, limnetic, and brackish habitats making it an excellent fit for ranavirus research that often involves aquatic species. PLoS ONE has the same H-index as DAO (14) for publications in the WOS ranavirus data set, and a total of 26 publications from 2010 to 2019. Although DAO has more publications (44), PLoS ONE has published higher impact papers (in terms of average citations). PLoS ONE is an interdisciplinary, open access journal






Fig. 5. Trends in author keywords from 2010 to 2019. The dots indicate the median year of publication for publications using that keyword and the error bars are the interquartile range. Darker colours indicate more occurrences of that keyword. Only keywords with more than five occurrences have been included. The keywords "ranaviruss", "ranaviruses", "iridoviridae", "iridovirus", and "disease" were removed to improve the visualization.

that was founded in 2015 and despite its relatively recent creation, it is still one of the top journals for ranavirus research. The presence of these three top journals demonstrate the breadth of ranavirus research undertaken. Overall, ranavirus research is published in a range journals, with different specialisations and impacts. There is no clear "ranavirus journal" regardless of the metric used i.e., most citations, most publications, or H-index. The variety of journals publishing ranavirus papers may be a reflection of the variety of research that occurs within the field.






Fig. 6. Average number of authors per year on publications in the Web of Science ranavirus data set.

Keywords

The field of ranavirology is diverse, and there is active research in many areas. Core to ranavirology is the investigation of amphibian population declines and emerging infectious disease; however, other areas of research (molecular biology, genetics, herpetology, ichthyology, etc.) are also well represented. We also observed a cluster of keywords related to reptiles in the keyword map, indicating an increasing interest in viral infections associated with this clade (Wirth et al. 2018). In fact, three of the 10 publications in this special collection of FACETS are related to ranaviral infection in reptiles.

Between 2010 and 2019, topics of interest in the ranavirus field have been evolving. For instance, changes in the interest for particular viral isolates may be an indication of ecological importance of these viruses (i.e., those causing current epizootics) or simply a reflection of what is new. Interest in SGIV appears to be stable and this is likely the result of increased research output of researchers from Asia in the past 10 years, where SGIV is used as a model system for studying iridoviruses and remains a continuing problem for aquaculture in that part of the world (Qin et al. 2001; Ma et al. 2016). Interestingly, Bd has been used less frequently as a keyword in the WOS ranavirus data set in recent years. While often combined in early investigations of amphibian population declines, research on these pathogens is now established and ranaviruses and Bd are recognised as separate issues in their own rights.

Countries and collaborations

Bibliographic maps are useful for understanding a scientific landscape. The US, PRC, England, Canada, and Australia were the top countries in terms of total number publications between 2010 and 2019. The US has been the centre of ranavirology since the field originated there in 1965 with the discovery of Frog virus 3 (FV3) (Granoff et al. 1965) and is thus central in the bibliographic maps for collaboration and shared citations, indicating that researchers from the US are working on and collaborating on a diverse set of ranaviral related questions. The US has also hosted three of the five International Research Symposia (IRS) since 2011. Owing to their central location, researchers from






Fig. 7. Relationships between countries with highest research output from 2010 to 2019. The countries are denoted by the circular node with different colours indicating clusters. The size of the nodes denotes the number of publications from the country. The countries are connected by lines with different widths, indicating the strength of the association between two nodes. (A) Collaboration coupling, the degree of relatedness is determined by the number of shared co-authors. (B) Bibliographic coupling, the degree of relatedness is determined by the number of shared references.



this country should thus play a major role in fostering collaborations between some of the more disparate ranavirus researchers. By contrast, the PRC, despite being the second highest country in terms of research output, has not had the opportunity to host an International Symposium on Ranaviruses (ISR). The PRC is also less central in terms of the collaboration map when compared with the US and may thus benefit from an international symposium in terms of increased collaboration. We also noted a positive correlation between collaborating countries and their geographical distance. Reduced physical distance between collaborators would certainly lower the effort required for collaboration and it is also possible that researchers are working on geographically defined issues (where international collaboration is not required). However, there are cases where geographically close countries are not collaborating as much as they could (i.e., Australia and Asian countries). Since Ranaviruses are global pathogens, we recommend that some topics (e.g., phylogenetics, biosecurity, epidemiology, etc.) can or should ultimately be addressed on a global scale, requiring global collaboration.

Limitations

This scientometric analysis was based solely on the core collection of the WOS database. Although this feature-rich database is a standard for bibliometrics analysis, it is not exhaustive and some ranavirus-related references have been excluded (nonpeer-reviewed material for example). In addition, only the term "ranavirus" was used as a search term to generate the data set used in this study. We recognise that results may vary when using other databases (e.g., Scopus and Google Scholar) or alternative search terms. However, we chose to limit our search terms to reduce the number of false positives in the data set, and using a single database provided us with a consistent data set. We use citations as a proxy for impact and while this is a useful metric, we acknowledge that there are biases when using citation metrics and newer publications may not be favoured (Seglen 1997). Thus, all the conclusions presented here should be interpreted within the context of the limitations defined above.

Conclusions

In the past 10 years, ranaviruses have remained an active topic of research, with more publications every year. This bibliometric analysis of the ranavirus field has given valuable insight into the structure of the field and how collaborations and publications have evolved over the 2009–2019 period. The GRC was formed to facilitate communication and collaboration among scientists, veterinarians, and others interested in ranaviruses. Our study, and the collaborative nature of the articles published in this Collection reveal the success of this endeavor, but although the number of collaborators on ranavirus publications have increased, there are still geographical divides in the field. Thus, efforts should be made to foster collaborations across geopolitical and cultural boundaries, especially between countries with shared research interests. Ultimately, maintaining and promoting global research is central to understanding important global pathogens such as ranaviruses.

Acknowledgements

The authors would like to acknowledge the efforts of the organisers of 2019 International Symposium on Ranaviruses, which was held at James Cook University in Australia.

Author contributions

WW, DL, and EA conceived and designed the study. WW performed the experiments/collected the data. WW analyzed and interpreted the data. WW contributed resources. WW, DL, and EA drafted or revised the manuscript.



Competing interests

The authors have declared that no competing interests exist.

Data availability statement

All relevant data are within the paper.

References

Blaustein AR, Gervasi SS, Johnson PTJ, Hoverman JT, Belden LK, Bradley PW, et al. 2012. Ecophysiology meets conservation: understanding the role of disease in amphibian population declines. Philosophical Transactions of the Royal Society B: Biological Sciences, 367: 1688–1707. PMID: 22566676 DOI: 10.1098/rstb.2012.0011

Chinchar VG, Yu KH, and Jancovich JK. 2011. The molecular biology of frog virus 3 and other Iridoviruses infecting cold-blooded vertebrates. Viruses, 3: 1959–1985. PMID: 22069524 DOI: 10.3390/v3101959

Duffus ALJ, Waltzek TB, Stöhr AC, Allender MC, Gotesman M, Whittington RJ, et al. 2015. Distribution and host range of ranaviruses. *In* Ranaviruses. *Edited by* M Gray and V Chinchar. Springer, Cham, Switzerland. pp. 9–57.

Figg WD, Dunn L, Liewehr DJ, Steinberg SM, Thurman PW, Barrett JC, et al. 2006. Scientific collaboration results in higher citation rates of published articles. Pharmacotherapy, 26: 759–767. PMID: 16716129 DOI: 10.1592/phco.26.6.759

Granoff A, Came PE, and Rafferty KA. 1965. The isolation and properties of viruses from *Rana pipiens*: their possible relationship to the renal adenocarcinoma of the leopard frog. Annals of the New York Academy of Sciences, 126: 237–255. PMID: 5220161 DOI: 10.1111/j.1749-6632.1965.tb14278.x

Gray MJ, and Chinchar VG. 2015. Introduction: history and future of ranaviruses. *In* Ranaviruses. *Edited by* M Gray and V Chinchar. Springer, Cham, Switzerland. pp. 1–7.

Hayes TB, Falso P, Gallipeau S, and Stice M. 2010. The cause of global amphibian declines: a developmental endocrinologist's perspective. Journal of Experimental Biology, 213: 921–933. PMID: 20190117 DOI: 10.1242/jeb.040865

Larivière V, Gingras Y, Sugimoto CR, and Tsou A. 2015. Team size matters: collaboration and scientific impact since 1900. Journal of the Association for Information Science and Technology, 66: 1323–1332. DOI: 10.1002/asi.23266

Lee S, and Bozeman B. 2005. The impact of research collaboration on scientific productivity. Social Studies of Science, 35: 673–702. DOI: 10.1177/0306312705052359

Lesbarrères D, Balseiro A, Brunner J, Chinchar VG, Duffus A, Kerby J, et al. 2012. Ranavirus: past, present and future. Biology Letters, 8: 481–483. PMID: 22048891 DOI: 10.1098/rsbl.2011.0951

Ma H, Peng C, Su Y, Feng J, and Guo Z. 2016. Isolation of a *Ranavirus*-type grouper iridovirus in mainland China and comparison of its pathogenicity with that of a *Megalocytivirus*-type grouper iridovirus. Aquaculture, 463: 145–151. DOI: 10.1016/j.aquaculture.2016.05.032



McKinney W. 2010. Data structures for statistical computing in Python. In Proceedings of the 9th Python in Science Conference (SCIPY 2010), 1697900, pp. 56-61. DOI: 10.25080/Majora-92bf1922-00a

Miller D, Gray M, and Storfer A. 2011. Ecopathology of ranaviruses infecting amphibians. Viruses, 3: 2351-2373. PMID: 22163349 DOI: 10.3390/v3112351

Perianes-Rodriguez A, Waltman L, and van Eck NJ. 2016. Constructing bibliometric networks: a comparison between full and fractional counting. Journal of Informetrics, 10: 1178-1195. DOI: 10.1016/j.joi.2016.10.006

Qin Q, Lam T, Sin Y, Shen H, Chang S, Ngoh G, et al. 2001. Electron microscopic observations of a marine fish iridovirus isolated from brown-spotted grouper, Epinephelus tauvina. Journal of Virological Methods, 98: 17-24. PMID: 11543880 DOI: 10.1016/S0166-0934(01)00350-0

Seabold S, and Perktold J. 2010. Statsmodels: econometric and statistical modeling with Python. In Proceedings of the 9th Python in Science Conference (SCIPY 2010). pp. 92–96.

Seglen PO. 1997. Citations and journal impact factors: questionable indicators of research quality. Allergy, 52: 1050-1056. PMID: 9404555 DOI: 10.1111/j.1398-9995.1997.tb00175.x

van Eck NJ, and Waltman L. 2010. Software survey: VOSviewer, a computer program for bibliometric mapping. Scientometrics, 84: 523-538. PMID: 20585380 DOI: 10.1007/s11192-009-0146-3

Whittington RJ, Becker JA, and Dennis MM. 2010. Iridovirus infections in finfish—critical review with emphasis on ranaviruses. Journal of Fish Diseases, 33: 95-122. PMID: 20050967 DOI: 10.1111/ j.1365-2761.2009.01110.x

Wirth W, Schwarzkopf L, Skerratt LF, and Ariel E. 2018. Ranaviruses and reptiles. PeerJ, 6: e6083. PMID: 30581674 DOI: 10.7717/peerj.6083